

NAME

a52dec – decode ATSC A/52 audio streams

SYNOPSIS

a52dec [-h] [-s *[track]*] [-t *pid*] [-c] [-r] [-o *mode*] [*file*]

DESCRIPTION

‘a52dec’ plays ATSC A/52 audio streams. Input is from stdin if no file is given.

- h** display help and available audio modes
- s** use program stream demultiplexer, track 0-7 or 0x80-0x87
- t *pid*** use transport stream demultiplexer, pid 0x10-0x1ffe
- c** use c implementation, disables all accelerations
- r** disable dynamic range compression
- o *mode***
use audio output driver ‘mode’.
A list of modes is available using the **-h** option.

AUTHORS

Michel Lespinasse <walken@zoy.org>
Aaron Holtzman <aholtzma@ess.engr.uvic.ca>
And many others on the net.

REPORTING BUGS

Report bugs to <liba52-devel@lists.sourceforge.net>.

COPYRIGHT

Copyright © 2000-2002 Michel Lespinasse
Copyright © 1999-2000 Aaron Holtzman
This is free software; see the source for copying conditions. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

extract_a52(1)