

NAME

cursors – mouse cursors available in Tk

DESCRIPTION

The **-cursor** widget option allows a Tk programmer to change the mouse cursor for a particular widget. The cursor names recognized by Tk on all platforms are:

- X_cursor
- arrow
- based_arrow_down
- based_arrow_up
- boat
- bogosity
- bottom_left_corner
- bottom_right_corner
- bottom_side
- bottom_tee
- box_spiral
- center_ptr
- circle
- clock
- coffee_mug
- cross
- cross_reverse
- crosshair
- diamond_cross
- dot
- dotbox
- double_arrow
- draft_large
- draft_small
- draped_box
- exchange
- fleur
- gobbler
- gumby
- hand1
- hand2
- heart
- icon
- iron_cross
- left_ptr
- left_side
- left_tee
- leftbutton
- ll_angle
- lr_angle
- man
- middlebutton
- mouse
- none
- pencil
- pirate

plus
question_arrow
right_ptr
right_side
right_tee
rightbutton
rtl_logo
sailboat
sb_down_arrow
sb_h_double_arrow
sb_left_arrow
sb_right_arrow
sb_up_arrow
sb_v_double_arrow
shuttle
sizing
spider
spraycan
star
target
tcross
top_left_arrow
top_left_corner
top_right_corner
top_side
top_tee
trek
ul_angle
umbrella
ur_angle
watch
xterm

The **none** cursor can be specified to eliminate the cursor.

PORTABILITY ISSUES

Windows

On Windows systems, the following cursors are mapped to native cursors:

arrow
center_ptr
crosshair
fleur
ibeam
icon
none
sb_h_double_arrow
sb_v_double_arrow
watch
xterm

And the following additional cursors are available:

no
starting
size
size_ne_sw

- size_ns
- size_nw_se
- size_we
- uparrow
- wait

macOS

On macOS, the following cursors are mapped to native cursors:

- arrow
- top_left_arrow
- left_ptr
- cross
- crosshair
- tcross
- ibeam
- none
- xterm

And the following additional native cursors are available:

- copyarrow
- aliasarrow
- contextualmenuarrow
- movearrow
- text
- cross-hair
- hand
- openhand
- closedhand
- fist
- pointinghand
- resize
- resizeleft
- resizeright
- resizeleftright
- resizeup
- resizedown
- resizeupdown
- resizebottomleft
- resizetopleft
- resizebottomright
- resizetoprigh
- notallowed
- poof
- wait
- countinguphand
- countingdownhand
- countingupanddownhand
- spinning
- help
- bucket
- cancel
- eyedrop
- eyedrop-full
- zoom-in

cursors(n)

Tk Built-In Commands

cursors(n)

zoom-out

KEYWORDS

cursor, option